


# EXTERNAL FIXATOR SYSTEM

**SAMAY**  
Surgical Pvt. Ltd.

The Ultimate Orthopedic Implant Solution





## A.O Clamp Single Pin

| Code     | Size         |
|----------|--------------|
| S6001.00 | 4.5mm X 11mm |



## A.O Clamp Double Pin

| Code     | Size         |
|----------|--------------|
| S6002.00 | 4.5mm X 11mm |




## Open Clamp

| Code     | Size         |
|----------|--------------|
| S6003.00 | 4.5mm X 11mm |



## Rod to Rod Clamp

| Code     | Size         |
|----------|--------------|
| S6004.00 | 4.5mm X 11mm |



## Transverse Clamp

| Code     | Size         |
|----------|--------------|
| S6005.00 | 4.5mm X 11mm |



## Universal Joint For Two Rod

| Code     | Size         |
|----------|--------------|
| S6006.00 | 4.5mm X 11mm |

**Connecting Rod 11mm**

| Code      | Size  |
|-----------|-------|
| S6007.100 | 100mm |
| S6007.125 | 125mm |
| S6007.150 | 150mm |
| S6007.175 | 175mm |
| S6007.200 | 200mm |
| S6007.225 | 225mm |
| S6007.250 | 250mm |
| S6007.275 | 275mm |
| S6007.300 | 300mm |
| S6007.325 | 325mm |
| S6007.350 | 350mm |
| S6007.375 | 375mm |
| S6007.400 | 400mm |
| S6007.425 | 425mm |
| S6007.450 | 450mm |
| S6007.500 | 500mm |

**T-Handle Spanner**

| Code     | Size |
|----------|------|
| S6008.11 | 11mm |

**Triple Trocar**

| Code     |
|----------|
| S6009.00 |

**Triple Trocar With Handle**


| Code     |
|----------|
| S6010.00 |

**T-Handle For Schanz  
Screw and Steinmann Pin**

| Code     |
|----------|
| S6011.00 |

**Open Spanner**

| Code     | Size |
|----------|------|
| S6012.11 | 11mm |



## Compression Distraction Device Clamp

Code


S6014.00



## Connecting Clamp

Code


S6013.00



## Ball & Socket Clamp

Code

S6015.00



## Ball and Socket Spanner

Code

S6017.00



## Distraction Unit

Code


Size

S6018.150 150mm

S6018.200 200mm

S6018.250 250mm

S6018.300 300mm



## Charnley Compression Clamp

Code

Size

S6016.150 150mm

S6016.200 200mm





### A.O. Clamp 2.5mm X 4.0mm

| Code     | Size          |
|----------|---------------|
| S6019.00 | 2.5mm X 4.0mm |



### A.O. Clamp 3.5mm X 4.0mm

| Code     | Size          |
|----------|---------------|
| S6020.00 | 3.5mm X 4.0mm |



### A.O. Clamp 4.0mm X 4.0mm

| Code     | Size          |
|----------|---------------|
| S6021.00 | 4.0mm X 4.0mm |

### Connecting Rod 4.0mm



| Code      | Size  |
|-----------|-------|
| S6022.100 | 100mm |
| S6022.125 | 125mm |
| S6022.150 | 150mm |
| S6022.175 | 175mm |
| S6022.200 | 200mm |
| S6022.225 | 225mm |
| S6022.250 | 250mm |
| S6022.275 | 275mm |
| S6022.300 | 300mm |



### T-Handle Spanner

| Code     | Size |
|----------|------|
| S6008.07 | 7mm  |



### Open Spanner

| Code     | Size |
|----------|------|
| S6012.07 | 7mm  |



## Aesculap Clamp 2.5mm X 4.0mm

| Code     | Size          |
|----------|---------------|
| S6025.00 | 2.5mm X 4.0mm |



## Aesculap Clamp 4.0mm X 4.0mm

| Code     | Size          |
|----------|---------------|
| S6026.00 | 4.0mm X 4.0mm |



## Aesculap Clamp 8.0mm X 8.0mm

| Code     | Size          |
|----------|---------------|
| S6028.00 | 8.0mm X 8.0mm |



## Aesculap Clamp 3.5mm X 4.0mm

| Code     | Size          |
|----------|---------------|
| S6061.11 | 3.5mm X 4.0mm |




## Aesculap Clamp 4.5mm X 8.0mm

| Code     | Size          |
|----------|---------------|
| S6027.00 | 4.5mm X 8.0mm |



## Connecting Rod 8.0mm

| Code      | Size  |
|-----------|-------|
| S6029.100 | 100mm |
| S6029.125 | 125mm |
| S6029.150 | 150mm |
| S6029.175 | 175mm |
| S6029.200 | 200mm |
| S6029.225 | 225mm |
| S6029.250 | 250mm |
| S6029.275 | 275mm |
| S6029.300 | 300mm |
| S6029.325 | 325mm |
| S6029.350 | 350mm |
| S6029.375 | 375mm |
| S6029.400 | 400mm |



## T-Handle Spanner

| Code     | Size |
|----------|------|
| S6008.08 | 08mm |
| S6008.10 | 10mm |



## Open Spanner

| Code     | Size |
|----------|------|
| S6012.08 | 08mm |
| S6012.10 | 10mm |



### Jess Clamp Small

Code

S6032.00



### Jess Clamp Medium

Code

S6033.00



### Jess Clamp Large

Code

S6034.00




### Single Pin Distractor (M4)

| Code      | Size  |
|-----------|-------|
| S6035.050 | 50mm  |
| S6035.075 | 75mm  |
| S6035.100 | 100mm |
| S6035.125 | 125mm |
| S6035.150 | 150mm |



### Double Pin Distractor (M4)

| Code      | Size  |
|-----------|-------|
| S6036.050 | 50mm  |
| S6036.075 | 75mm  |
| S6036.100 | 100mm |
| S6036.125 | 125mm |
| S6036.150 | 150mm |
| S6036.200 | 200mm |
| S6036.250 | 250mm |



### Double Pin Distractor (M6)

| Code      | Size  |
|-----------|-------|
| S6037.100 | 100mm |
| S6037.150 | 150mm |
| S6037.200 | 200mm |
| S6037.250 | 250mm |
| S6037.300 | 300mm |
| S6037.350 | 350mm |
| S6037.400 | 400mm |



### Allen Key

| Code     | Size  |
|----------|-------|
| S6038.20 | 2.0mm |
| S6038.25 | 2.5mm |
| S6038.30 | 3.0mm |

## Straight Rod 2.0mm

| Code      | Size  |
|-----------|-------|
| S6039.075 | 75mm  |
| S6039.100 | 100mm |
| S6039.125 | 125mm |
| S6039.150 | 150mm |
| S6039.175 | 175mm |
| S6039.200 | 200mm |
| S6039.225 | 225mm |
| S6039.250 | 250mm |
| S6039.270 | 275mm |
| S6039.300 | 300mm |



## Straight Rod 2.5mm

| Code      | Size  |
|-----------|-------|
| S6040.075 | 75mm  |
| S6040.100 | 100mm |
| S6040.125 | 125mm |
| S6040.150 | 150mm |
| S6040.175 | 175mm |
| S6040.200 | 200mm |
| S6040.225 | 225mm |
| S6040.250 | 250mm |
| S6040.270 | 275mm |
| S6040.300 | 300mm |

## Straight Rod 3.0mm

| Code      | Size  |
|-----------|-------|
| S6041.075 | 75mm  |
| S6041.100 | 100mm |
| S6041.125 | 125mm |
| S6041.150 | 150mm |
| S6041.175 | 175mm |
| S6041.200 | 200mm |
| S6041.225 | 225mm |
| S6041.250 | 250mm |
| S6041.275 | 275mm |
| S6041.300 | 300mm |

## Straight Rod 3.5mm

| Code      | Size  |
|-----------|-------|
| S6046.075 | 75mm  |
| S6046.100 | 100mm |
| S6046.125 | 125mm |
| S6046.150 | 150mm |
| S6046.175 | 175mm |
| S6046.200 | 200mm |
| S6046.225 | 225mm |
| S6046.250 | 250mm |
| S6046.275 | 275mm |
| S6046.300 | 300mm |

## Straight Rod 4.0mm

| Code      | Size  |
|-----------|-------|
| S6042.100 | 100mm |
| S6042.125 | 125mm |
| S6042.150 | 150mm |
| S6042.175 | 175mm |
| S6042.200 | 200mm |
| S6042.225 | 225mm |
| S6042.250 | 250mm |
| S6042.275 | 275mm |
| S6042.300 | 300mm |
| S6042.350 | 350mm |
| S6042.400 | 400mm |

## Straight Rod Knurling 2.5mm


| Code      | Size  |
|-----------|-------|
| S6043.075 | 75mm  |
| S6043.100 | 100mm |
| S6043.125 | 125mm |
| S6043.150 | 150mm |
| S6043.175 | 175mm |
| S6043.200 | 200mm |
| S6043.225 | 225mm |
| S6043.250 | 250mm |


## Straight Rod Knurling 3.0mm

| Code      | Size  |
|-----------|-------|
| S6044.075 | 75mm  |
| S6044.100 | 100mm |
| S6044.125 | 125mm |
| S6044.150 | 150mm |
| S6044.175 | 175mm |
| S6044.200 | 200mm |
| S6044.225 | 225mm |
| S6044.250 | 250mm |
| S6044.275 | 275mm |
| S6044.300 | 300mm |

## Straight Rod Knurling 4.0mm


| Code      | Size  |
|-----------|-------|
| S6045.100 | 100mm |
| S6045.125 | 125mm |
| S6045.150 | 150mm |
| S6045.175 | 175mm |
| S6045.200 | 200mm |
| S6045.225 | 225mm |
| S6045.250 | 250mm |
| S6045.275 | 275mm |
| S6045.300 | 300mm |
| S6045.350 | 350mm |
| S6045.400 | 400mm |






## Half Ring

| Code      | Size  |
|-----------|-------|
| S6055.080 | 80mm  |
| S6055.100 | 100mm |
| S6055.120 | 120mm |
| S6055.140 | 140mm |
| S6055.160 | 160mm |
| S6055.180 | 180mm |
| S6055.200 | 200mm |
| S6055.220 | 220mm |
| S6055.240 | 240mm |



## 5/8 Ring

| Code      | Size  |
|-----------|-------|
| S6056.120 | 120mm |
| S6056.140 | 140mm |
| S6056.160 | 160mm |
| S6056.180 | 180mm |
| S6056.200 | 200mm |



## Full Ring

| Code      | Size  |
|-----------|-------|
| S6057.120 | 120mm |
| S6057.140 | 140mm |
| S6057.160 | 160mm |
| S6057.180 | 180mm |
| S6057.200 | 200mm |



## Italian Femoral Arch 90°

| Code     |
|----------|
| S6058.00 |



## Italian Femoral Arch 120°

| Code     |
|----------|
| S6059.00 |




## Threaded Rod 6.0mm

| Code      | Size  |
|-----------|-------|
| S6060.050 | 50mm  |
| S6060.075 | 75mm  |
| S6060.100 | 100mm |
| S6060.125 | 125mm |
| S6060.150 | 150mm |
| S6060.175 | 175mm |
| S6060.200 | 200mm |
| S6060.225 | 225mm |
| S6060.250 | 250mm |
| S6060.275 | 275mm |
| S6060.300 | 300mm |
| S6060.325 | 325mm |
| S6060.350 | 350mm |
| S6060.375 | 375mm |
| S6060.400 | 400mm |



## Threaded Rod Slotted 6.0mm

| Code      | Size  |
|-----------|-------|
| S6112.050 | 50mm  |
| S6112.075 | 75mm  |
| S6112.100 | 100mm |
| S6112.125 | 125mm |
| S6112.150 | 150mm |
| S6112.175 | 175mm |
| S6112.200 | 200mm |
| S6112.225 | 225mm |
| S6112.250 | 250mm |
| S6112.275 | 275mm |
| S6112.300 | 300mm |
| S6112.325 | 325mm |
| S6112.350 | 350mm |
| S6112.375 | 375mm |
| S6112.400 | 400mm |



## Telescopic Rod

| Code      | Size  |
|-----------|-------|
| S6061.100 | 100mm |
| S6061.150 | 150mm |
| S6061.200 | 200mm |
| S6061.250 | 250mm |



## Hinges Male

| Code     |
|----------|
| S6062.00 |

## Hinges Female

| Code     |
|----------|
| S6063.00 |

## Hinges 90°

| Code     |
|----------|
| S6064.00 |



## Oblique Support


| Code     |
|----------|
| S6065.00 |

## Post Male

| Code     | Size   |
|----------|--------|
| S6066.01 | 1 Hole |
| S6066.02 | 2 Hole |
| S6066.03 | 3 Hole |
| S6066.04 | 4 Hole |

## Post Female

| Code     | Size   |
|----------|--------|
| S6067.01 | 1 Hole |
| S6067.02 | 2 Hole |
| S6067.03 | 3 Hole |
| S6067.04 | 4 Hole |



## Curved Plate

| Code     | Size   |
|----------|--------|
| S6068.02 | 2 Hole |
| S6068.03 | 3 Hole |
| S6068.04 | 4 Hole |



## Connecting Plate

| Code     | Size    |
|----------|---------|
| S6069.02 | 2 Hole  |
| S6069.03 | 3 Hole  |
| S6069.04 | 4 Hole  |
| S6069.05 | 5 Hole  |
| S6069.06 | 6 Hole  |
| S6069.07 | 7 Hole  |
| S6069.08 | 8 Hole  |
| S6069.09 | 9 Hole  |
| S6069.10 | 10 Hole |
| S6069.11 | 11 Hole |
| S6069.12 | 12 Hole |
| S6069.13 | 13 Hole |
| S6069.14 | 14 Hole |
| S6069.15 | 15 Hole |
| S6069.16 | 16 Hole |

## Connecting Plate With Threaded Rod

| Code     | Size    |
|----------|---------|
| S6070.02 | 2 Hole  |
| S6070.03 | 3 Hole  |
| S6070.04 | 4 Hole  |
| S6070.05 | 5 Hole  |
| S6070.06 | 6 Hole  |
| S6070.07 | 7 Hole  |
| S6070.08 | 8 Hole  |
| S6070.09 | 9 Hole  |
| S6070.10 | 10 Hole |



## Twisted Plate

| Code     | Size   |
|----------|--------|
| S6071.01 | 1 Hole |
| S6071.02 | 2 Hole |
| S6071.03 | 3 Hole |
| S6071.04 | 4 Hole |
| S6071.05 | 5 Hole |



## Wire Fixation Bolt Center Hole

| Code     |
|----------|
| S6072.00 |



## Wire Fixation Bolt Side Slotted

| Code     |
|----------|
| S6073.00 |



## Connecting Bolt

| Code     |
|----------|
| S6074.00 |



## Nut

| Code     |
|----------|
| S6075.00 |



## Bushing

| Code     |
|----------|
| S6110.00 |



### Square Nut

| Code     |
|----------|
| S6076.00 |



### Nylon nut

| Code     |
|----------|
| S6077.00 |



### Single Pin Fixation Bolt

| Code     | Size  |
|----------|-------|
| S6078.45 | 4.5mm |
| S6078.50 | 5.0mm |



### Multiple Single Pin Fixation Bolt

| Code     | Size   |
|----------|--------|
| S6079.02 | 2 Hole |
| S6079.03 | 3 Hole |
| S6079.04 | 4 Hole |



### Wrench Cube

| Code     | Size   |
|----------|--------|
| S6080.01 | 1 Hole |
| S6080.02 | 2 Hole |
| S6080.03 | 3 Hole |
| S6080.04 | 4 Hole |



### Threaded Socket

| Code     | Size |
|----------|------|
| S6081.20 | 20mm |
| S6081.25 | 25mm |
| S6081.30 | 30mm |
| S6081.35 | 35mm |
| S6081.40 | 40mm |
| S6081.45 | 45mm |
| S6081.50 | 50mm |
| S6081.55 | 55mm |
| S6081.60 | 60mm |



### Universal Joint

| Code     |
|----------|
| S6082.00 |



### Simple Washer

| Code     |
|----------|
| S6083.00 |



### Conical Couple Washer

| Code     |
|----------|
| S6084.00 |



## Split Washer

Code

S6085.00



## Flat Sided Washer

Code

S6086.00



## Slotted Washer

Code

S6087.00

## Olive Wire Bayonet Point 400mm

| Code     | Size  |
|----------|-------|
| S6088.15 | 1.5mm |
| S6088.18 | 1.8mm |

## Tension Kirschner Wire Bayonet Point 400mm

| Code     | Size  |
|----------|-------|
| S6089.15 | 1.5mm |
| S6089.18 | 1.8mm |

## Olive Wire Trocar Point 400mm

| Code     | Size  |
|----------|-------|
| S6090.15 | 1.5mm |
| S6090.18 | 1.8mm |

## Tension Kirschner Wire Trocar Point 400mm

| Code     | Size  |
|----------|-------|
| S6091.15 | 1.5mm |
| S6091.18 | 1.8mm |




Wire Tensioner Dynametric

| Code     |
|----------|
| S6092.00 |




Wire Tensioner Manual

| Code     |
|----------|
| S6093.00 |



Ring Spanner 10mm

| Code     |
|----------|
| S6094.00 |




Combination Spanner 10mm

| Code     |
|----------|
| S6095.00 |



L Spanner 10mm

| Code     |
|----------|
| S6096.00 |



T-Handle Spanner

| Code     | Size |
|----------|------|
| S6008.10 | 10mm |



Open Spanner

| Code     | Size |
|----------|------|
| S6012.10 | 10mm |

# **SAMAY** Surgical Pvt. Ltd.



Manufactured by....

## **Samay Surgical Pvt. Ltd**

Avadh Industrial Park - A,  
Survey No. 896 & 897,  
Plot No. 12 & 13, Khambha - 360311,  
Dist. Rajkot, Gujarat, India.

## **Contact Us**

Call:- +91 78781 52154

E-mail:- [info@samaysurgical.com](mailto:info@samaysurgical.com)

Web:- [www.samaysurgical.com](http://www.samaysurgical.com)

